





SIZE ONE  
FOR THE 308000


FIG. 3 OUTER CASING 1/16" THICK



STUD HOLES  
1/16" DIAMETER



SAFETY LOCK  
Semi Automatic HAND GUNS  
1/2" SIZE 1 OF 4 SEE 3017



\* ALL DRAWINGS  
SIZE X 1 1/2"




FIG. 1  
KEY RING

FIG. 1A

FIG. 1B

FIG. 2

FIG. 2B

FIG. 3

FIG. 3B



FIG. 8  
SPRING PIN




FIG. 9

SPRINGS



FIG. 10

LOCK IN FIRE POSITION

LOCK IN SAFE POSITION



FIG. 11

LOCK IN FIRE POSITION

LOCK IN SAFE POSITION

	KEY + RING	INNER CASING	OUTER CASING	LOCK CORE
	$R = \frac{1}{32}$	$R = \frac{13}{32}$	$R = \frac{15}{32}$	
SIZE 1	$1" \times \frac{5}{8}" \times \frac{1}{16}"$	$1" \times \frac{1}{4}" \times \frac{1}{16}"$	$1" \times \frac{1}{2}" \times \frac{1}{32}"$	$\frac{3}{16}" \times \frac{1}{32}"$
SIZE 2	$\frac{7}{8}" \times \frac{5}{8}" \times \frac{1}{16}" R \frac{3}{4}$	$\frac{7}{8}" \times \frac{1}{4}" \times \frac{1}{16}" R \frac{3}{4}$	$\frac{7}{8}" \times \frac{1}{2}" \times \frac{1}{32}" R \frac{3}{4}$	$\frac{3}{16}" \times \frac{3}{16}"$
SIZE 3	$\frac{5}{8}" \times \frac{5}{8}" \times \frac{1}{16}" R \frac{5}{16}$	$\frac{5}{8}" \times \frac{1}{4}" \times \frac{1}{16}" R \frac{5}{16}$	$\frac{5}{8}" \times \frac{1}{2}" \times \frac{1}{32}" R \frac{5}{16}$	$\frac{1}{4}" \times \frac{5}{16}"$
SIZE 4	$\frac{1}{2}" \times \frac{5}{8}" \times \frac{1}{16}" R \frac{19}{16}$	$\frac{1}{2}" \times \frac{1}{4}" \times \frac{1}{16}" R \frac{19}{16}$	$\frac{1}{2}" \times \frac{1}{2}" \times \frac{1}{32}" R \frac{19}{16}$	$\frac{1}{4}" \times \frac{19}{64}"$

FIG. 12

Bottom view of spring pin





FIG. 13


Dust

COVER



LOCK COVER

OPEN



LOCK DUST COVER CLOSED

\* R = Diameter

FIG. 10






FIG. 13




09788098-022004



Hole Drilled  
1/32" Diameter

Lock in SAFE Position



A high-contrast, black and white photograph of a handgun, likely a Smith &amp; Wesson Model 10, shown from a side profile. The slide is locked back, revealing the empty magazine well. The word "FIRE" is visible on the slide. The image is heavily stylized with a grainy, high-contrast texture.